Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at http://about.jstor.org/participate-jstor/individuals/early-journal-content.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

INDEX TO VOLUME VIII

(New names and final members of new combinations are in **heavy face** type.)

Abutilon berlandieri, 195; *incanum*, 195; *jacquini*, 195; *malacum*, 199; *parvulum*, 199; *pedunculare*, 195; *texense*, 198; *triquetrum*, 195; *wrightii*, 195
Acacia, 197
Aceraceae, 330
Achlya, 231; *paradoxa*, 236
Actaea, pollen tubes of, 474
Aecidium Dicentrae, 445
Agave, 198, 218
Agrostemma, pollen tubes of, 472, 477
Aira, 255; *caespitosa*, 255; *caryophyllea*, 255
Alisma, embryogeny of, 505; pollen of, 472
Alnus, pollen of, 472; *glutinosa*, pollen of, 479
Alternaria, 320
Althaea rosea, 201
Alveolaria, 447
Amaryllidaceae, 331, 387
Anacardiaceae, 330
Anagallis, stylar canal of, 475
Andropogon, 193; *alopecuroides*, 48; *divaricatum*, 48; *hirtus*, 255; *virginicus*, 255
Anemone, pollen of, 472
Anions, effect upon permeability of polyvalent cations in combination with polyvalent, 382; quantitative study of the effect of, on the permeability of plant cells, 366
Anonaceae, 330
Antiaris toxicaris, 238
Antirrhinum, 472; *tortuosum*, pollen of, 479
Apium graveolens, infected with *Septoria apii*, 523
Aplopsora, description of genus, 442; *Nyssae*, 442
Apocynaceae, 330
Apple, pollen of, 480
Araceae, 330; food plants of, 329
Araucaria brasiliana, 219; *imbricata*, 226
Araucarioxylon Hoppertoniae, 224
Aristolochia Sipho, 185
ARTHUR, JOSEPH CHARLES. Specialization and fundamentals in botany, 275
Arundinaria Simoni, 219
Asclepiadaceae, 330
Aspergillus aurantiacus, 122; *aureus*, 123; *chrysospermum*, 119; *citrisporus*, 119; *effusus*, 105; *flavescens*, 112; *flavus* and associated species, 103; *flavus-oryzae*, 103; *fulvus*, 120; *fumigatus*, 109; *giganto-sulphureus*, 107; *glaucus*, 111; *gymnosardae*, 108; *luchuensis*, 117; *micro-virido-citrinus*, 107; *nidulans*, 123; *niger*, 110; effect of salt proportions and concentration on the growth of, 147; *oryzae* and associated species, 103; *oryzae* var. *basidiferens*, 108; *parasiticus*, 105; *perniciosus*, 107; *pseudoflavus*, 108; *repens*, 111; *Siebenmanni*, 112; *tamari*, 103; *terricola*, 114; var. *Americana*, 114; *Tokelau*, 122; *umbrinus*, 120; *variabilis*, 126; *Wehmeri*, 111; *Wentii*, 103
Atropa belladonna, stylar canal of, 475
Avena sativa aristata, 259; *sterilis*, 456
Azotobacter, 1, 24; *beyerinckii*, 25; *chroococcum*, 24; *vinlandii*, 25

Bacillus fluorescens liquefaciens, 478; *radicicola*, 26
Bacteria, soil, 1
Bacterium tumefaciens, cancer of beet produced by, 507; *beticolum*, 508
Baeodromus, 447
Bald cypress, 198
BALL, CARLETON R. The relation of crop-plant botany to human welfare, 323
Bambusa arundinacea, 219; *tesselata*, 219
Banana wilt, losses from, 315
Baptisia, 193
Bastardia viscosa, 195
BECHTEL, ALBERT REIFF. The floral anatomy of the Urticales, 386
Beet, 33, 37, 257
Berberis Thunbergii, leaves of, 433; *vulgaris*, 433
BERGMAN, H. F. The effect of cloudiness on the oxygen content of water and its significance in cranberry culture, 50
Beta vulgaris, the nature of the soil as a determining factor in the health of the beet, and its relation to the size and weight of the crown gall produced by inoculation with *Bacterium tumefaciens*, 507; pollen of, 480
Betulaceae, 331

Bicuculla Cucullaria, 445
Boehmeria cylindrica, 398
Bollworm, pink, 192
Botrychium, 304; *obliquum*, 307; *Virginianum*, 306
BRANNON, J. M. A simple method for growing plants, 176
Brodiaea, 144
Bromeliaceae, 330
Bromus ciliatus, 48; *purgans*, 48
Brownea, pollen of, 472
Brown-rot of peaches, losses from, 316
Brucea furruginea, tyloses in, 184
Bryophyllum calycinum, 291
Bubakia, 447
Buckwheat, 328

Cacti, 198
Caeoma strobilina, 444
Caesalpinioideae, 175
Callirrhoe digitata, 195; *involucrata*, 194; *lineariloba*, 197
CAMPBELL, D. H. The eusporangiate ferns and the stelar theory, 303
Cancers, studies on plant, III. The nature of the soil as a determining factor in the health of the beet, *Beta vulgaris*, and its relation to the size and weight of the crown gall produced by inoculation with *Bacterium tumefaciens*, 507
Cannabinaceae, 331
Cannabis sativa, 395
Carduus, genus, 283
Carnation rust, 316
Cassia, 175
Castanea, Aspergillus cultures on bark of, 113; *dentata*, leaves of, 433
Cations, effect upon permeability of polyvalent, in combination with polyvalent anions, 382
Cedar, mountain, 198
Celtis occidentalis, 393; *pallida*, 194
Cenchrus spicatus, 47
Centaurea orientalis, 31
Cercis canadensis, 173, 174, 175
Cercospora, 320
Cereus grandiflorus, pollen tubes of, 474
Cerotelium Canavaliae, 449; **Dicentrae**, 445; *Fici*, 450; *Gossypii*, 450; *Vitis*, 450
Chaetochloa italica, 43; *lutescens*, 41; *viridis*, 48
CHASE, AGNES. The Linnaean concept of pearl millet, 41
Chenopodiaceae, 328, 330
Chestnut-bark disease, loss from, 316
CHILD, C. M. Certain aspects of the problem of physiological correlation, 286
Chlorella sp., 2, 14, 15; *vulgaris*, 2, 14, 15
Chlorophyceae, 1, 2, 27; cultures of, 2
Chnoopsora, 443
Chrysanthemum rust, 316
Chrysomyxa, 447
CHURCH, MARGARET B. (See Charles Thom, 103)
Chusquea abietifolia, 219
Cienfuegosia sulphurea, 195
Cirsium, 283; *arvense*, 283
Cistus, stylar canal of, 475
Citrus, 219; canker, 316, 319; *grandis*, 433
Clarkia, 144
Climbing bamboo, 219
Clivia, pollen of, 472
Clostridium, 1
Cloudiness, the effect of, on the oxygen content of water and its significance in cranberry culture, 50
Cnicus, genus, 283
Cocoanut palm bud-rot, losses from, 315
Coffee rust, losses from, 315
Colchicum autumnale, pollen tubes of, 474
Collinsia, 144
Colocasia, 370
Compositae, 330; food plants of, 329
Condalia obovata, 197
Conifers, 314
Convolvulus, pollen of, 472
Corn, pollen of, 477, 483
Correlation between bundle number in siblings, 357
Correlation, physiological, certain aspects of the problem of, 286
Correlations between anatomical characters in the seedling of *Phaseolus vulgaris*, 339
Corypha, 219; *umbraculifera*, 219
Cotinus coggygria, 184
Cottonwood, 199
Covillea tridentata, 197
Cranberry culture, the effect of cloudiness on the oxygen content of water and its significance in, 50
Crocus, pollen of, 472; pollen tubes of, 474
Crop-plant botany, relation of, to human welfare, 323
Crown gall of beet, 507
Crown rust of oats, miscellaneous studies on the, 452

Cruciferae, 330; food plants of, 329
Cucurbit mildew, 316
Cucurbitaceae, food plants of, 329; stylar canal of, 475
Cyanophyceae, 1
Cyathus Poeppigii, 282
Cycadella wyomingensis, 225
Cycadeoidea colossalis, 225; *dacotensis*, 224; *Dartoni*, 222; *Fisherae*, 221; *ingens*, 222; *marshiana*, 225; *marylandica*, 221; *Masseiana*, 221; *nigra*, 221; *Reichenbachiana*, 224; *Stantoni*, 221; *Stilwelli*, 225; *Uddeni*, 227
Cycadeoids, monocarpy and pseudomonocarpy in the, 218
Cyclamen, 33, 34
Cypress, pollen of, 479
Cypripedium, 248
Cyrtanthus parviflorus, embryogeny of, 502; *sanguineus*, 502
Cystococcus, 25, 26

Daisy, pollen of, 483
Danaea, 308; *elliptica*, 310; *Jamaicensis*, 310; *simplicifolia*, 304
Dandelion, pollen of, 483
Dasylirion, 199
Date palm, pollen of, 474
DICKSON, JAMES GEERE. The relation of certain nutritive elements to the composition of the oat plant, 256
Dietelia, 449
Disella hederacea, 200; *lepidota*, 198; *sagittaefolia*, 200
Dock, pollen of, 477
DUNN, GRACE A. Note on the histology of grain roots, 207
DURHAM, G. B. (See J. Arthur Harris, 63, 339, 375, 425)

Ebenaceae, 330
Ehretia elliptica, 194
Elm, pollen tubes of, 474
Elodea, respiration and antagonism in, 458; *canadensis*, 458
Embryogeny of *Cyrtanthus parviflorus* Baker, 502
EMERSON, R. A. Genetic evidence of aberrant chromosome behavior in maize endosperm, 411
Enckea, 212
ENSIGN, M. R. Area of vein-islets in leaves of certain plants as an age determinant, 433
Enzymes, pollen, 471
Ephedra trifurca, fertilization of, 476
Equisetum, 289
Eragrostis, 193
Ergots, 319
Erianthus, 48; *divaricatus*, 48
Ericaceae, 331
Eryngium campestre, 31
Erysiphe graminis on wheat and barley, 523
Eucharis, pollen of, 472
Eurotium, 123; *oryzae*, 124; *repens*, 125
Eusporangiate ferns and the stelar theory, 303

Fagaceae, 330
Fagus caroliniana, leaves of, 433
Ficus elastica, crown gall on, 515
Filicineae, 303
Fixation of free nitrogen by green plants, the, 1
Flag smut of wheat, 316, 319
Floral anatomy of the Urticales, 386
Fouquiera splendens, 199
Fraxinaceae, 331
Fucus, 289
Furcraea americana, 219

Gayoides crispum, 197
Genetic evidence of aberrant chromosome behavior in maize endosperm, 411
Geraniales, 405
GERICKE, W. F. Influence of temperature on the relations between nutrient salt proportions and the early growth of wheat, 59
GINSBURG, S. (See L. Knudson, 164)
Gladiolus, pollen of, 472
Gleditsia and related genera, thick-walled root hairs of, 171
Gleditsia triacanthos, 171, 173; var. *inermis*, 174
Gleichenia, 312, 313
Godetia, 144
Goldenrod pollen, 477
Grains, losses from disease, 315
Gramineae 328
Grape anthracnose, 316; black-rot, 316; downy mildew, 316
Growing plants, a simple method for, 176
Growth of *Aspergillus niger*, effect of salt proportions and concentration on the, 147
Gymnocladus dioica, 173, 174, 175
Gymnosporangium, 319

Hackberries, 198
HAENSELER, C. M. The effect of salt proportions and concentration on the growth of *Aspergillus niger*, 147
Halophila, pollen of, 473
HANSON, HERBERT C. Distribution of the Malvaceae in southern and western Texas, 192
HARRIS, J. ARTHUR, EDMUND W. SINNOTT, JOHN Y. PENNYPACKER, AND G. B. DURHAM. The vascular anatomy of dimerous and trimerous seedlings of *Phaseolus vulgaris*, 63; correlations between anatomical characters in the seedling of *Phaseolus vulgaris*, 339; the vascular anatomy of hemitrimerous seedlings of *Phaseolus vulgaris*, 375; the interrelationship of the number of the two types of vascular bundles in the transition zone of the axis of *Phaseolus vulgaris*, 425
Hazel, pollen tubes of, 474
Hedera trifolia Canadensis, 127
Helleborus, pollen of, 472
Hemitrimerous seedlings of *Phaseolus vulgaris*, vascular anatomy of, 375
Hemp, Mauritius, 219
Hibiscus cardiophyllus, 195; *coccineus*, 202; *coulteri*, 197; *denudatus* var. *involucellatus*, 199; *esculentus*, 202; *lasiocarpus*, 194; *manihot*, 202; *militaris*, 194; *rosa-sinensis*, 202; *sabdariffa*, 202; *syriacus*, 202; *trionum*, 202
Hickory, pollen tubes of, 474
Hicoria, 194
HITCHCOCK, A. S. The type concept in systematic botany, 251
HOERNER, G. R. Miscellaneous studies on the crown rust of oats, 452
Holcus lanatus, 253; *spicatus*, 44
Hordeum, 255; *vulgare*, 255
Horse chestnut, pollen of, 480
Huisache, 194
Humulus Lupulus, 396
Hyacinth, pollen of, 471
Hydration, water deficit and the action of vitamines, amino-compounds, and salts on, 296
Hymenophyllaceae, 313
Hypericum, stylar canal of, 475

Ilex, 194
Indian corn, roots of, 210
Ipomoea, pollen of, 472
Ipo toxicaria, 238
Iresine, 33, 37, 166, 168; *Herbstii*, 164
Iris, stylar canal of, 475; *pumila*, 31; *versicolor*, pollen tubes of, 474
Isoachlya, a new genus of the Saprolegniaceae, 231; *monilifera*, 231; *paradoxa*, 231; *toruloides*, 231

Johnson grass, 44
Juglandaceae, 330
Juglans regia, ovule of, 403
Juniperus, 199; pollen of, 479

KAUFFMAN, C. H. Isoachlya, a new genus of the Saprolegniaceae, 231
KNUDSON, L., AND S. GINSBURG. Suggestions with respect to the measurement of osmotic pressure, 164
Kosteletzkya althaeifolia, 194
Kuehneola, 450; *aliena*, 450; *Butleri*, 450

Labiatae, 330
Laminaria, 367, 382; *Agardhii*, 465
Lamium amplexicaule, pollen tubes of, 477
Laportea canadensis, 398
Lathyrus, pollen of, 472
Leguminosae, 66; food plants of, 329
Leontodon Taraxacum, 283
Leptosporangiatae, 313
Leucophyllum texanum, 194
LEVINE, MICHAEL. Studies on plant cancers III. The nature of the soil as a determining factor in the health of the beet, *Beta vulgaris*, and its relation to the size and weight of the crown gall produced by inoculation with *Bacterium tumefaciens*, 507
Liliaceae, food plants of, 329
Lilium pardalinum, pollen of, 472; *rubrum*, pollen of, 483
Lily, stylar canal of, 475; pollen of, 477
Liquidambar styraciflua, 194
Liriodendron, Aspergillus cultures on bark of, 113
Loganiaceae, 331
Lupine, 27; pollen of, 472
Lychnis, pollen of, 472
Lycopods, 314
Lygodium, 313; *articulatum*, 312
LYON, C. J. Comparative studies on respiration XVIII. Respiration and antagonism in Elodea, 458
Lythrum salicaria, pollen of, 479

MacDougal, D. T. Water deficit and the action of vitamines, amino-compounds, and salts on hydration, 296
Maclura pomifera, floral anatomy of, 394
Macroglossum, sporophyte of, 308
Magnolia, 194; pollen of, 483
Mains, E. B. Unusual rusts on Nyssa and Urticastrum, 442
Maize endosperm, genetic evidence of aberrant chromosome behavior in, 411
Malachra capitata, in Texas, 195
Mallow, pollen tubes of, 474
Malva parviflora, 195; *sylvestris*, 203
Malvaceae, 331; food plants of, 329; in southern and western Texas, distribution of, 192
Malvales, floral structure of, 405
Malvastrum americanum, 194; *coccineum*, 200; *elatum*, 200; *spicatum*, 195; *wrightii*, 195
Malvaviscus arboreus, 203; *drummondii*, 194
Mangel wurzel, crown gall of, 508
Maple pollen, 477; 483
Marattiales, anatomy of, 309
McDougall, W. B. Thick-walled root hairs of Gleditsia and related genera, 171
McNair, James B. A study of *Rhus diversiloba* with special reference to its toxicity, 127; the morphology and anatomy of *Rhus diversiloba*, 179; the transmission of Rhus poison from plant to person, 238
Mechanism of root pressure and its relation to sap flow, 369
Melampsora, 443
Melampsoridium Betulae, 444
Melampsoropsis, 447, 448
Melica ciliata, 44
Mesquite, in Texas, 194, 198
Mexican palm, in Texas, 194
Mignonette, stylar canal of, 475
Millet, the Linnaean concept of pearl, 41
Mimosa, 198
Modiola caroliniana, 194
Monocarpy and pseudomonocarpy in the Cycadeoids, 218
Moraceae, food plants of, 330; floral anatomy of, 387
Morus alba, floral anatomy of, 394; *nigra*, 394
Mountain cedar, 198
Musaceae, 329, 331

Narcissus, pollen of, 471
Nematogonium aurantiacum, 122
Nitrogen, the fixation of free, by green plants, 1
Nolina, 199
Nyssa, 194; and Urticastrum, unusual rusts on, 442; *aquatica*, 442; *capitata*, 443

Oak, 198; pollen tubes of, 474
Oat plant, the relation of certain nutritive elements to the composition of, 256
Oats, Ligowa, 455; miscellaneous studies on the crown rust of, 452
Oenothera, 193; pollen tubes of, 474
Oleaceae, 329
Ophioglossum Moluccanum, 304; *pedunculosum*, 304; *pendulum*, 313; *reticulatum*, 305, 313
Opuntia, 194
Orchidaceae, 387
Osmotic concentration of the guard cells during the opening and closing of stomata, variations in the, 30
Osmotic pressure, suggestions with respect to the measurement of, 164
Otomycosis aspergillina, 125
Ottonia section of Pipers, 212
Overton, James Bertram. The mechanism of root pressure and its relation to sap flow, 369

Palm, Mexican, 194
Palmaceae, food plants of, 329
Pandanales, 219
Panicum, 193, 253; *alopecuroides*, 43; *americanum*, 41, 43; *cynosuroides*, 44; *dichotomum*, 48; *glaucum*, 41; *italicum*, 253; *lutescens*, 41; *miliaceum*, 46, 253; *spicatum*, 41, 47; *viride*, 43
Papaveraceae, 330
Papilionaceae, 405
Papilionoideae, 175
Parietales, 405
Parkinsonia aculeata, 194; *texana*, 197
Paton, Julia Bayles. Pollen and pollen enzymes, 471
Pavonia lasiopetala, 199
Peach curl, 318; yellows, 316
Pear blight, 316
Pecan, 198
Pelargonium, pollen of, 472
Penicillaria spicata, 41
Pennisetum alopecuroides, 41; *americanum*, 41, 43; *compressum*, 43; *glaucum*, 41;

polystachyum, 44; *sieberianum*, 43; *spicatum*, 43; *typhoideum*, 41
PENNYPACKER, JOHN Y. (See J. Arthur Harris, 63, 339, 375, 425)
Permeability, the effect upon, of (I) the same substance as cation and anion, (II) changing the valency of the same ion, 464; of plant cells, quantitative study of the effect of anions on the, 366; of polyvalent cations in combination with polyvalent anions, effect upon, 382
Perotis latifolia, 43
Pestalozzia, on Sapodilla, 523
Petunia, pollen of, 479
Phakopsora, 447
Phaseolus multiflorus, experiments with, 291; *vulgaris*, correlations between anatomical characters in the seedling of, 339; interrelationship of the number of the two types of vascular bundles in the transition zone of the axis of, 425; normal (dimerous) seedling of, 66; trimerous seedling of, 69; vascular anatomy of dimerous and trimerous seedlings of, 63; vascular anatomy of hemitrimerous seedlings of, 375
Phlox, pollen of, 472
Phyllosticta, 320
Physopella, 447
Pilobolus, 371
Pinaceae, 331
Pine, 198; pollen of, 471, 483; blister rust, 316
Piñon, 198
Pinus Coulteri, 223; *edulis*, 199; *attenuata*, 223; *palustris*, 194; *taeda*, 194
Piper **abalienatum**, 213; **albicaule**, 213; **brachypus**, 213; **Diguetianum**, 214; *discophorum*, 213; *Jaborandi*, 212; **Mas**, 215; *Muelleri*, 213; *Neesianum*, 213; *ovatum*, 213; **Rosei**, 215; *smilacifolium*, 213; **Tatei**, 213; **Thiemeanum**, 213; *yucatanense*, 213; *Zippelia*, 213
Plant pathology, the relation of, to human welfare, 315
Plantago lanceolata, pollen of, 479; *major*, 282
Platanus, Aspergillus cultures on bark of, 113; *occidentalis*, 437
Poa pratensis, 255
Poaceae, 328, 331
Poison ivy, 127, 130; oak, 127, 130, 132, 133; of *Rhus*, 137; vine, 127
Poison, Rhus, transmission of, from plant to person, 238
Pollen and pollen enzymes, 471
Polygonaceae, 328; food plants of, 329
Potato, 257; late blight fungus, 316; losses from disease, 315; wart, 316
Prepinus, 224
Primula obconica, 244
Prosopsis glandulosa, 194
Protococcus sp., 2, 18, 19, 20, 21, 22
Protosiphon botryoides, 2, 18, 19, 20, 21, 22
Pseudomonocarpy, monocarpy and, in the cycadeoids, 218
Puccinia, 236; *coronata*, 452; *Distichlidia*, 282; *glumarum*, 523; *graminis*, 453

Quantitative study of the effect of anions on the permeability of plant cells, 366
Quercus alba, leaves of, 433; *michauxii*, 194; *stellata*, 194; *virginiana*, 197

RABER, ORAN L. A quantitative study of the effect of anions on the permeability of plant cells, 366; the effect upon permeability of polyvalent cations in combination with polyvalent anions, 382; the effect upon permeability of (I) the same substance as cation and anion, and (II) changing the valency of the same ion, 464
Ragweed pollen, 473
Ranales, floral anatomy of, 403
Ranunculaceae, 330
Respiration, comparative studies on, XVIII. Respiration and antagonism in Elodea, 458
Rhododendron, stylar canal of, 475
Rhus Cotinus, 184; *diversiloba*, 238; *diversiloba*, morphology and anatomy of, 179; *diversiloba*, study of, with special reference to its toxicity, 127; *lobata*, 128; *radicans*, 127, 238; *Toxicodendron*, 127, 180, 239; var. *radicans*, 183; *venenata*, 248; *vernicifera*, 137, 181, 244; *Vernix*, 137, 188, 239
Rhus poison, transmission of, from plant to person, 238
Rice smut, 319
Richardia, pollen of, 472
Robinia, 27; *Pseudo-Acacia*, 175
Root hairs, thick-walled, of Gleditsia and related genera, 171
Root pressure, mechanism of, and its relation to sap flow, 369

Roots, grain, note on the histology of, 207
Rosaceae, 330; food plants of, 329
Rosales, floral anatomy of, 403
Rubiaceae, 330
Rudbeckia, 193
Rutaceae, 219; food plants of, 329
Rye, pollen of, 480

Sabal mexicana, 194
Sabbatia, 193
Sagittaria, embryogeny of, 505
Salt proportions and concentration, effect of, on the growth of *Aspergillus niger*, 147
Salvia, pollen tubes of, 476
Sap flow, mechanism of root pressure and its relation to, 369
Sapodilla, inoculated with *Pestalozzia* sp., 523
Saprolegnia monilifera, 232; *torulosa*, 235
Saprolegniaceae, Isoachlya, a new genus of, 231
Sarracenia purpurea, pollen tubes of, 476
Saxifraga sarmentosa, 291
Scenedesmus sp., 2, 14, 15
Schizolobium giganteum, 220
Schroeteriaster, 447
Screw-bean, 199
Seedlings, trimerous and dimerous, 354
Senecio Doria, 31
Septoria, 320; *apii*, on celery, 523
Seradella, 27
Serratula arvensis, 283
Setaria glauca, 41; *lutescens*, 41
Siberian crab-apple, pollen of, 483
Siblings, correlation between bundle number in, 357
Sida angustifolia, 195; *ciliaris*, 195; *cuneifolia*, 195; *diffusa*, 195; *filiformis*, 195; *hastata*, 195; *longipes*, 200; *neomexicana*, 200; *rhombifolia*, 194; *spinosa*, 194; *tragiaefolia*, 200
Siderocarpus flexicaulis, 194
Silene, pollen of, 472
SINNOTT, EDMUND W. (See J. Arthur Harris, 63, 339, 375, 425)
Smuts, 318
Solanaceae, 331; food plants, 329; useful plants of, 330
Sorghum, 44; smut, 316
Spartina, 194
Spathelia simplex, 219
Spathyema foetida, fertilization of, 476
Specialization and fundamentals in botany, 275
Sphaeralcea cuspiaata, 198; *hastulata*, 198; *incana*, 200; *lobata*, 196; *pedatifida*, 198; *pumila*, 204; *subhastata*, 199; *tenuipes*, 200
Sporobolus, 194
Steffensia, 212
Stelar theory, the eusporangiate ferns and the, 303
Sterigmatocystis albo-lutea, 122; *butyracea*, 122; *castanea*, 120; *pseudoflava*, 125
STEVENS, F. L. The relation of plant pathology to human welfare, 315
Stichococcus sp., 2, 14, 15
Stomata, variations in the osmotic concentration of the guard cells during the opening and closing of, 30
Strombocarpa pubescens, 199
Stropholieion Californicum, 144
Systematic botany, the type concept in, 251

Taraxacum, 283; *densleonis*, 283
Taxaceae, pollen tubes of, 474
Taxodium distichum, 194; *mucronatum*, 229
TAYLOR, WILLIAM RANDOLPH. The embryogeny of *Cyrtanthus parviflorus* Baker, 502
Temperature, influence of, on the relations between nutrient salt proportions and the early growth of wheat, 59
THOM, CHARLES, AND MARGARET B. CHURCH. *Aspergillus flavus*, *A. oryzae*, and associated species, 103
Tiliaceae, 331
Tilletia horrida, 319
Timothy pollen, 473
Tomatoes, losses from disease, 315
Toxicity of *Rhus diversiloba*, 127
Toxicodendron triphyllum glabrum, 127
TRELEASE, WILLIAM. North American Pipers of the section Ottonia, 212
Trisetum, 255
Triticum vulgare, 207
Tropaeolum, pollen of, 472
Tsuga, Aspergillus cultures on bark of, 113
Tulipa, pollen of, 472
Type concept in systematic botany, the, 251
Typha elephantina, pollen of, 473

Ulmaceae, floral anatomy of, 387
Ulmus, 194; *americana*, 388; *campestris*, 388; *fulva*, 388; *racemosa*, 388; *scabra*, 388
Umbelliferae, 330; food plants of, 329
Umbrella palm, 219
Uniola, 255
Uredo Nyssae, 442

Uredopeltis, 447
Uromyces, 236
Urtica gracilis, 397
Urticaceae, 331, 387
Urticales, floral anatomy of the, 386
Urticastrum, unusual .rusts on Nyssa and, 442; *divaricatum*, 444

Vacciniaceae, 330
Vachellia Farnesiana, 194
Variations in the osmotic concentration of the guard cells during the opening and closing of stomata, 30
Vascular anatomy of dimerous and trimerous seedlings of *Phaseolus vulgaris*, 63; of hemitrimerous seedlings of *Phaseolus vulgaris*, 375
Vein-islets in leaves of certain plants as an age determinant, area of, 433
Venturia, 319
Verbascum Lychnitis, 31
Veronica incana, 31
Violet, pollen of, 471; stylar canal of, 475
Vitamines, amino-compounds, and salts on hydration, water deficit and the action of, 296
Vitis, pollen tubes of, 474; *vulpina*, leaves of, 433
Wallflower, pollen of, 471
WANN, FRANK B. The fixation of free nitrogen by green plants, 1
Water deficit and the action of vitamines, amino-compounds, and salts on hydration, 296
Wheat, influence of temperature on the relations between nutrient salt proportions and the early growth of, 59
WIELAND, G. R. Monocarpy and pseudomonocarpy in the cycadeoids, 218
WIGGANS, R. G. Variations in the osmotic concentration of the guard cells during the opening and closing of stomata, 30
Willow, 199
Wissadula holosericea, 200; *lozani*, 196; *periplocifolia*, 196

Yucca, 198; *filamentosa*, 218

Zamia, pollen of, 472; *Skinneri*, pollen of, 472
Zea Mays, 207; Aspergillus on, 118, 121; pollen tubes of, 474
Zebrina pendula, 33, 34, 164
Zostera, pollen of, 473